

# INDEX MAPS.

## T. 5N R. 2W 2<sup>nd</sup> Mer.

	204-206	204-206	204-206	204-206	205	205
208	6 227	5 223	4 219	3 216	2 212	1 203
	228	227	223	219	215	211
208	7 227	8 223	9 219	10 215	11 211	12 203
	228	226	222	218	215	211
208	18 226	17 222	16 218	15 214	14 211	13 203
	229	226	221	218	214	210
207	19 225	20 221	21 217	22 214	23 210	24 202
	228	225	221	217	213	209
207	30 224	29 220	28 217	27 213	26 209	25 202
	224	224	220	216	212	209
207	31 223	32 220	33 216	34 212	35 209	36 202
	200	199-200	199-200	199-201	199-201	199-201

## T. 6N R. 2W 2<sup>nd</sup> Mer.

	237	237	236	236	236	235						
240	6	259	5	255	4	251	3	247	2	243	1	235
	259		258		255		251		247		243	
239	7	258	8	254	9	250	10	247	11	243	12	235
	259		258		254		250		246		242	
239	18	257	17	254	16	250	15	246	14	242	13	234
	260		257		253		249		245		241	
238	19	256	20	253	21	249	22	245	23	241	24	234
	260		256		252		249		246		241	
238	30	256	29	252	28	248	27	245	26	241	25	234
	260		256		252		248		244		240	
238	31	255	32	251	33	248	34	244	35	240	36	233
	231-233		231-233		231-233		231-232		231-232		232	

The figures on the lines refer to the page.



## T. N. 6 N. R. N. 2 W. 2nd Mer (Ind. a.)

East On a Random line in the South Boundary of sec. 36.  
T. N. 6. N. R. N. 2 W.

40.00 Set a first timber for the cor. to 1/4 sec.

77.75 Into section N. 1 S. line 12 miles & 9 miles North  
of the cor. fr. sec. 1. 6. 31. 36. T. 6. 6. & 5. 5. N. R.  
1 & 2 W. Land out so bushy as the last mile.  
Timber Oak & Hickory

West On the true line in the South Boundary of sec. 36. T. N.  
6 N. R. N. 2 W.

40.00 Set the timber post on the true line for the cor. to 1/4 sec.  
from which a

Hickory 10 in. dia. line S 70 E. 27 miles dist. to

do 10 " " " S 84 W 8 " "

80.00 Set the timber post on the true line for the cor. to sec.  
35. 1 36 T. N. 6. N. R. N. 2 W. from which a  
 Gum 19 in. dia. line S 89 E. 43 miles dist. to  
 Loggwoods Corner N 51 E. 29 " "

West On the true line in the South Boundary of sec. 35. T.  
N. 6 N. R. N. 2 W.

40.00 Set the timber post on the true line for the cor. to 1/4 sec.

from which a Hickory 10 in. dia. line West 2 miles dist.

80.00 Set the timber post on the true line for the cor. to sec.

34 1 35 T. N. 6 N. R. N. 2 W. from which a

Beck 10 in. dia. line N 67 W. 6 miles dist. to

Logan 8 " " " N 85 E. 22 " "

West On the true line in the South Boundary of sec. 34. T.  
N. 6 N. R. N. 2 W.

40.00 Set the timber post on the true line for the cor. to 1/4

from which a Poplar, 24 in. dia. line N 3 E. 18 miles

80.00 Set the timber post on the true line for the cor. to

sec. 33. 1 34 T. N. 6. N. R. N. 2 W. from which a

Beck 9 in. dia. line S 81 E. 37 miles dist. to

do 20 " " " N 37 E. 15 " "

## T. N. 6. N. R. N. 27. Twp. 32. S. (Ind. a.)

West On the true line on the South Boundary of Sec. 33. T. N. 6. N. R. N. 27.

40.00 Set the temporary post on the true line for the cor. to 1/4 sec. in a brush thicket; no timber nigh.

80.00 To an Ironwood 5 in. dia., which stands for the cor. to Sec. 32 & 33. T. N. 6. N. R. N. 27.

West On the true line on the South Boundary of Sec. 32. T. N. 6. N. R. N. 27.

40.00 Set the temporary post on the true line for the cor. to 1/4 sec. from which a

Beck 10 in. dia. bears S 85 E. 16 miles dist; to

Do 10 " " " N 26 W. 15 " "

80.00 Set the temporary post on the true line for the cor. to Sec. 31 & 32. T. N. 6. N. R. N. 27. From which a

Log 10 in. dia. bears N 44 E. 9 miles dist; to

Do 8 " " " N 72 W. 14 " "

West On the true line on the South Boundary of Sec. 31. T. N. 6. N. R. N. 27.

14.26 To the Brook; This line was corrected N. for this post.

## East Boundary.

North On the East Boundary of Sec. 36. T. N. 6. N. R. N. 27.

40.00 Set a post for the cor. to 1/4 sec. from which a

Height 10 in. dia. bears S 29 E. 26 miles dist; to

Do 12 " " " N 49 W. 32 " "

80.00 Set a post for the cor. to Sec. 25 & 36. T. N. 6. N. R. N. 27. From which a

Logwood 6 in. dia. bears S 19 E. 34 miles dist; to

Grass 9 " " " S 80 E. 31 " "



## T. N. 6. N. H. N. 27. 2nd Mer. (S. 2. 4.)

Cundolling, Tinita Oak, &amp; Hickory Poplar, &amp; Buck

North On the East Boundary of Sec. 25. T. N. 6. N. H.  
N. 27.

13.80 Top of Oak 12 in. dia. stands in the line.

40.00 Set a post for the cor. to  $\frac{1}{4}$  sec. from which a  
Buck 10 in. dia. bears S 15 W. 40 miles dist; to  
Oak 12 in. dia. bears S 60 W. 19 in.

80.00 Set a post for the cor. to Sec. 24 & 25. T. N. 6. N.  
H. N. 27. from which a

Buck 18 in. dia. bears N 78 E. 29 miles dist; to  
Lg. 10 in. dia. bears N 47 W. 23 in.

Cundolling made timber same as in the last mile.

North On the East Boundary of Sec. 24. T. N. 6. N. H.  
N. 27.

13.00 Top of Oak 20 in. dia. stands in the line.

40.00 Set the post for the cor. to  $\frac{1}{4}$  sec. from which a  
Hickory 10 in. dia. bears S 25 E. 28 miles dist; to  
Logmoor Co. in. bears N 11 W. 23 in.

76.00 Log Brook 10 miles wide; course East

80.00 Set a post for the cor. to Sec. 13 & 24. T. N. 6. N.  
H. N. 27. in a spring course East; Bearing  
to the above post. a Poplar 12 in. dia. bears S 30 W.  
30 miles dist; to Buck 20 in. dia. bears N 55 E.  
15 in. — This mile over thin soil; Tinita  
Oak & Buck; N. H. Brinsford Logmoor Co.

North On the East Boundary of Sec. 13. T. N. 6. N. H.  
N. 27.

40.00 Set a post for the cor. to  $\frac{1}{4}$  sec. from which a  
Oak 7 in. dia. bears N 17 W. 23 miles dist; to  
Oak 2 in. dia. bears N 60 E. 24 in.

76.75 Log Brook 10 miles wide; course East.

80.00 Set a post for the cor. to Sec. 12 & 13. T. N. 6. N.  
H. N. 27. from which a

## T. N. 6. N. R. N. 27. 2nd Mer. (S. 11. 2)

Buck 20 in. dia. bears N 5 E. 4 miles dist; 1 a  
 Log 20 a a a S 26 W. 26 a a  
 Sand & soil on the timber same as on the last mile.

North On the East Boundary of Sec. 12 T. N. 6. N. R. N. 27.  
 40.00 Set a post for the cor. to 1/4 sec. from which a  
 Sugar 6 in. dia. bears S 25 E. 7 miles dist; 1 a  
 Do 8 a a a N 80 W. 14 a a  
 80.00 Set a post for the cor. to Sec. 1 & 12 T. N. 6. N. R.  
 N. 27. from which a  
 Hick 11 in. dia. bears S 71 E. 5 miles dist  
 Sugar 12 a a a N 8 E. 25 a a  
 Sand & soil; Timber Sugar, Buck, &c.

North On the East Boundary of Sec. 1 T. N. 6. N. R. N. 27.  
 15.50 To a Poplar 24 in. dia. stands in the line  
 40.00 Set a post for the cor. to 1/4 sec. from which a  
 W. Oak 10 in. dia. bears S 26 W. 7 miles dist; 1 a  
 Ironwood 7 a a a N 10 E. 16 a a  
 49.00 To a Poplar 30 in. dia. stands in the line.  
 80.00 Set a post at the distance of six miles from the  
 South Boundary for the cor. to Sec. 1, 6, 31 & 36  
 T. 6. 6. 7. 7. N. R. N. 27.

Surveyed by

Arthur Henric.

Dep. Sur.

## North Boundary.

West On the true line on the South Boundary of Sec. 36. T.  
 N. 7. N. R. N. 27.  
 24.75 To a Walnut 30 in. dia. bears in the line  
 40.00 To a W. Oak 36 in. dia. which stands for the cor. to 1/4 sec.  
 Sand & soil timber Sugar, Walnut, Oak, Buck &c  
 65.00 To a Sugar 18 in. dia. stands in the line.  
 80.00 Set a post for the cor. to Sec. 35, 136 T. N. 7. N.  
 N. 27. from which a

*D. N. G. M. N. 27. 2nd Mar. (Ind.)*

Back 16 mi. dis. have 55 W. 3 miles thick; & a

Do 16 n n - N 65 E. 44 n n

Sands and trinitw same as on the last 1/2 mile.

Nest On the 2<sup>nd</sup> Mile. on the traw line; South Bona off  
Sw. 35 I. N. 7. A. R. N. 27.

40.00 Set a post in the brow line. For the cor. to  $\frac{1}{4}$  sec. from  
which a square 8 in. dia. board N 56 W. 5 mile dist. to

Sugar 1000, 186 E. 2300

Lond. Mich; Dimitro Sugar Beet, Ark, &c

Fr. N. Oak 18 in. dia stand in the line.

69.00 Tra. N. Oak 18 in. dia Stand in the line.

80.00 Set a hut with the true line for the cor. to lat. 34 & 35.  
I. N. 7 N. CR. N. 27. W. N. Oak 24 in dia stands  
for the cor. to lat. 34 & 35 from which a  
Sugar 12 in dia has N 53 E. 12 hunk set;  
April 2<sup>nd</sup> 1811.

Augur 12 in min Haus N 53 E. 10 Punkte auf;

April 2<sup>nd</sup> 1811.

Send me no tinew same as in the last one.

West 3<sup>rd</sup> Mile on the true line South Bound<sup>y</sup> of Sec 34  
T. N<sup>o</sup> 7. R. N<sup>o</sup> 27.

33.50. To an R. Cat 38 mi. via Stand on the line.

40.00 Lot a post for the cord to 1/4 sec. from which a  
 Reel 30 in. dia. gave 454 E 12 miles dist; to

Reck 30 mi. N.W. of 45° E 12 miles dist; to

Do 20 a a a 1277.14 a a

Scrub live oaks, timber oak,

65.00 To Brook & Mrs. mid; House & W.

85.00 Set a post in the trunk for the cr. to cap. 33 & 34  
I. N. 7. & R. N. 2 W. from which a

47. Oak 18 in. dia. base S25 N. 31 E. 100 ft. 10

Sugar 14 a a - NB5E. 20 a a

Sound same as the last mile.

West 4<sup>th</sup> Mile on the track in South Range of sec. 33.  
T. N. 7. N. P. N. 27.

15.00 Toa Brook 10 miles wide; dense growth.

30.00 n n 4 a n r L.E.







D. No. 6. A.R. No. 27. 2<sup>nd</sup> Nov. (Eud.)

April 3<sup>rd</sup> 1811. Traveled South to the temporary post  
set on the 2<sup>nd</sup> Inst. and run a Kandom line  
South between Ranges 25377. T. N<sup>o</sup> 6.

6 mile and 3 ch. and full 18 ch. Met of  
Horned Lark cr.

West Boundary

North On the East Boundary of sec. 36. T. N. 6. R. N.  
No. 37.

21.00 Took Crank 200 miles away, house G.E. Kept up  
the crank near the middle.

37.00 Sept. Credit to the Mch.

40.00 Set apart for the cor. to J. S. C. from which a  
Back 14 mi. N. W. line N 64 W. 16. line dist; 12  
Kings 8 a a a N 44 E. 5 h a

600.00 Tray W Oak 24 in. dia. Stands in the line.

8070 Set apart for the con. to Dec. 25, 136. T. N. Co. N. H.  
N. 37. From which a  
Buck 36 in. dia. bears S 85 W. 14 miles dist; 16  
L. 14 a a a S 81 E. 20 a a

April 6<sup>th</sup> 1811

North Nth East Broomy of la. 25. I. N. 6 N. R. 1.  
27.

30.00 Top Spring Lease W.

40.00 Set apart for the con. to J. H. L. from which a  
 Gun 30 in. dia. bore of 2 E. 10 in. dia. necks 10  
 Bore 18 in. ~ N. 47. 24 in. ~

6450 Iron Peak 10 mi. NW. Stand in the line.

8000 Set apart for the em. to Dec. 24. 125, I N. 6 N. R.  
N. 3 N. from which an  
Elev 16 in. dia. base N 25 E. 4 miles dist. in  
Japan - a - - - 849.15 in -  
Wells Only lands.

North On the East Corner of Sec. 24. T. N. 6. R. N. 27.

I N<sup>o</sup> 6 N R N<sup>o</sup> 2 W. 2nd Mer. Qu a. d.

- 2.00 To a Brook 5 miles wide; source W.  
 16.50 To a N. Oak 18 in. dia. stands in the line.  
 40.00 Set a post for the cor. to 1/4 sec. from which a  
 N. Oak 36 in. dia. bears N 41 E. 32 miles dist; 10  
 Bush 15 " " " S 43 W. 33 " "  
 62.00 To a Brook 15 miles wide; source S. W.  
 80.00 Set a post for the cor. to Sec. 13 & 24 I N<sup>o</sup> 6 N R.  
 N<sup>o</sup> 2 W. from which a  
 Elm 16 in. dia. bears N 3 W. 25 miles dist; 10  
 Sugar Pine " " S 27 E. 57 " "  
 Kelly Oak, Lands.

- North On the East Boundary of Sec. 13. I N<sup>o</sup> 6. N R N<sup>o</sup>  
 2 W.  
 5.50 To a Spring source S. W.  
 40.00 Set a post for the cor. to 1/4 sec. from which a  
 Bush 12 in. dia. bears S 68 E. 10 miles dist  
 Spruce 16 " " " N 48 W. 8 " "  
 44.00 To a Brook 15 miles wide; source S. E.  
 Lands N. 1/2 mile Kelly Oak Lands. 2 mi. fr  
 Good lands; timber Bush, Sugar Oak,  
 57.00 To a Cherry 36 in. dia. stands in the line.  
 60.00 Set a post for the cor. to Sec. 12 & 13. I N<sup>o</sup> 6 N.  
 R. N<sup>o</sup> 3 W. from which a  
 Sugar 16 in. dia. bears N 7 W. 9 miles dist; 10  
 Bush 6 " " " N 15 E. 23 " "

- North On the East Boundary of Sec. 12 I N<sup>o</sup> 6. N R.  
 N<sup>o</sup> 3 W.  
 25.50 To a Brook 4 miles wide; source W.  
 31.00 " " " " " S. W.  
 40.50 Set a post for the cor. to 1/4 sec. from which a  
 Bush 9 in. dia. bears S 27 W. 11 miles dist; 10  
 Koupis 12 " " " N 40 W. 11 " "  
 81.50 Set a post for the cor. to Sec. 1 & 12. I N<sup>o</sup> 6 N R. N<sup>o</sup>  
 3 W. from which a

T. N. 6. N. R. N. 2 W. 2<sup>nd</sup> Mer. (Ind. 4)

Beck 8 mi. dia. base N 49 E. 3 miles dist; to  
Do 6 " " " S 57 W. 16 " "

North On the East Boundary of sec. 1 T. N. 6. N. R. N.  
3 W. 2<sup>nd</sup> Mer.

4.00 Trak Brook 5 miles dia; Corner West

10.00 " " " 3 " " " S. W.

40.00 Set a post for the cor. to 1/4 sec. from which a  
W. Oak 12 mi. dia. base N 46 W. 7 miles dist; to  
Cape 14 " " " S 9 E. 17 " "

49.00 Trak Brook 6 miles dia; Corner W.

81.00 " " " 5 " " " S. W.

83.00 Intersect the East W. line 15 ch. East of the  
turn. 1st post and move it for the cor. to Town  
6 & 7. W. S. 2 & 3 W. from which a  
W. Oak 40 mi. dia. base S 20 W. 21 miles dist; to  
Cape 14 " " " N 5 W. 39 " "  
Hilly about Sandy.

Surveyed by  
Alexander Holman  
Dep't. Surveyor.

### Subdivisions

North Return Sec. 35, 136. T. N. 6. N. R. N. 2 W.

40.00 Set a post for the cor. to 1/4 sec. from which a  
Beck 20 mi. dia. base N 42 W. 33 miles dist; to

80.00 Set a post for the cor. to sec. 25, 26, 35, 136. T.  
N. 6. N. R. N. 2 W. from which a

Beck 20 mi. dia. base S 66 W. 25 miles dist; to  
Hq 10 " " " N 35 E. 31 " "

Ground Hilly and thinly timbered with Oak.

East On a main line between Sec. 25, 136. T. N. 6  
N. R. N. 2 W.

40.00 Set a temporary post for the cor. to 1/4 sec.

80.00 Intersect the N. R. line 18 miles South of the.



T. N. C. N. R. N. 2 W. 2<sup>nd</sup> Mer. (End.)

Post set for the cor. to Sec. 25, 136. T. N. C. N. R. 2 W.  
Sands pit and timber same as in the last mile.

West On the true line between Sec. 25, 136 T. N. C. N. R.  
N. 2 W.

40.00 Set the temporary post at the aver. dist. in the true line for  
the cor. to  $\frac{1}{4}$  sec. from which a

Beet 20 in. dia. bore N 23 E. 9 hnds dist; or

Do 10 " " " S 12 E 8 " "

80.00 To the post set for the cor. to Sec. 25, 26, 35, 136.

North Return Sec. 25, 136. T. N. C. N. R. N. 2 W.

40.00 Set a post for the cor. to  $\frac{1}{4}$  sec. from which a

Well 10 in. dia. bore N 64 W. 8 hnds dist; or

Do 10 " " " S 58 W. 22 " "

80.00 Set a post for the cor. to Sec. 23, 24, 25, 26. From which

a Beet 20 in. dia. bore N 83 W. 59 hnds dist; or

Do 10 " " " N 81 E. 30 " "

Sands rolling; timber Oak, Hickory & Beech &c

East On a random line between Sec. 24 & 25 T. N. C. N.  
R. N. 2 W.

40.00 Set a temporary post for the cor. to  $\frac{1}{4}$  sec.

79.82 Run back the N. & S. lines 45 hnds South of the  
post set for the cor. to Sec. 24 & 25,

Sands soil and timber same as in the last mile.

West On the true line between Sec. 24 & 25 T. N. C. N. R.  
N. 2 W.

39.91 Set a post temporary at the aver. dist. in the true line  
for the cor. to  $\frac{1}{4}$  sec. from which a

Do 8 in. dia. bore East 36 hnds dist;

79.82 To the post set for the cor. to Sec. 23, 24, 25, 26.

North Return Sec. 23 & 24. T. N. C. N. R. N. 2 W.

8.50 To a N. Oak 20 in. dia. stands in the line.

T N<sup>o</sup> 6. N. H. N<sup>o</sup> 2 W. 2nd Mer. (Ind. a.)

- 40.00 Set a post for the cor. to  $\frac{1}{4}$  sec. from which  
 Buck 20 in. dia. beam S57 E. 14 miles dist; 10  
 Do, 12 " " " S57 W. 16 " "  
 80.00 Set a post for the cor. to Sec. 13 14 23 & 24. from  
 which a Poplar 8 in. dia. beam N87 E. 27 miles dist;  
 and a Buck 18 " " " S43 E. 14 " "  
 Sande built and set; Timber Buck, Ground

East On a random line between Sec. 13 & 24 T N<sup>o</sup> 6.  
 N. H. N<sup>o</sup> 2 W.

- 40.00 Set a post for the cor. to  $\frac{1}{4}$  sec. (trump.)  
 80.00 Enter onto the N. & S. line at the first set for the  
 cor. to Sec. 13 & 24. T N<sup>o</sup> 6 N. H. N<sup>o</sup> 2 W.  
 Sande built and set; Timber beam as on the last mile.

West On the true line between Sec. 13 & 24. T N<sup>o</sup> 6. N.  
 H. N<sup>o</sup> 2 W.

- 40.00 Set a post for the cor. to  $\frac{1}{4}$  sec. at the av. cor.  
 on the true line. from which  
 Buck 18 in. dia. beam N20 W. 8 miles dist; 10  
 Dogwood 6 " " " N78 E. 22 " "  
 80.00 To the post set for the cor. to Sec. 13 14 23 & 24

North Between Sec. 13 & 14. T N<sup>o</sup> 6. N. H. N<sup>o</sup> 2 W.

- 40.00 Set a post for the cor. to  $\frac{1}{4}$  sec. from which a  
 Sugar 20 in. dia. beam S65 E. 16 miles dist; 10  
 Elm 12 " " " N40 W. 33 " "  
 80.00 Set a post for the cor. to Sec. 11. 12. 13. & 14. from  
 which a Buck 8 in. dia. beam N67 W. 8 miles dist;  
 and a Do 12 " " " S40 E. 34 " "  
 Sande rolling Timber Buck, Oak, & White

East On a random line between Sec. 12 & 13. T N<sup>o</sup> 6.  
 N. H. N<sup>o</sup> 2 W.

- 40.00 Set a stump post for the cor. to  $\frac{1}{4}$  sec.  
 78.00 To a Post 10 miles wide; corner S.E.

*T. N. 6. N. R. N. 27. Q. de Mer. (Ind.)*

80.45 Entered the N. & S. line 8 miles South of the post  
 set for the cor. to Sep. 12 & 13.  
 Sand soil and timber same as on the last mile.

West On the true line between Sep. 12 & 13. *T. N. 6. N.  
 R. N. 27.*

40.22½ Set the temporary post at the aver. dist. on the true line  
 for the cor. to ¼ sec. from which a  
 Poplar 24 in. dia. bears West 108 miles north;

80.45 Set the post set for the cor. to Sep. 11, 12, 13, & 14

North Return Sep. 11 & 12 *T. N. 6. N. R. N. 27.*

40.00 Set a post for the cor. to ¼ sec. from which a  
 Beech 6 in. dia. bears S 21 E. 29 miles north; 10  
 Do 12 in. " " N 41 E. 22 in. "

80.00 Set a post for the cor. to Sep. 1, 2, 11 & 12 from which  
 a Sugar 10 in. dia. bears N 88 E. 40 miles north; 10  
 Beech 12 in. " " S 56 W. 15 in. "  
 Sand soil and timber same as on the last mile.

East On a random line between Sep. 1 & 12 *T. N. 6. N.  
 R. N. 27.*

40.00 Set a temporary post for the cor. to ¼ sec.

80.06 Entered the N. & S. line at the post set for the  
 cor. to Sep. 1 & 12 Sand soil, Timber Beech  
 Ash & Poplar, & Oak.

West On the true line between Sep. 1 & 12. *T. N. 6. N.  
 R. N. 27.*

40.03 Set the temporary post at the aver. dist. on the true line  
 for the cor. to ¼ sec. from which a  
 Beech 18 in. dia. bears S 3 E. 40 miles north; 10  
 Sugar 10 in. " " S 74 W. 28 in. "

80.06 Set the post set for the cor. to 1, 2, 11, 12.

North Return Sep. 1 & 2 *T. N. 6. N. R. N. 27.*



I. N. 6. N. R. N. 27. 2nd Mer. (S. d. a.)

- 40.00 Set apart for the cor. to 1/4 sec. from which  
 Buck 8 in. dia. beam S 2 E. 32 miles dist; to  
 No 18 a ~ ~ S 41 N. 28 ~ ~
- 85.33 Intersected the N. B. main of I. N. 6. N. R.  
 N. 27. 50 miles East of the post set for the  
 cor. to Sec. 35. 136 I. N. 7. N. R. N. 27. 1 set  
 apart for the cor. to Sec. 1 & 2. from which  
 Buck 20 in. dia. beam S 27 N. 24 miles dist; to  
 No 12 ~ ~ ~ N 28 N. 22 ~ ~
- Sand & Soil under timber same as in the last mile.  
 April 9. 1814.

- North Return Sec. 34. & 35. I. N. 6. N. R. N. 27.
- 40.00 Set apart for the cor. to 1/4 sec. from which  
 Oak 20 in. dia. beam S 20 E. 16 miles dist; to  
 Hick 12 ~ ~ ~ N 55 E. 40 ~ ~
- 80.00 Set apart for the cor. to Sec. 26 & 27. 34 & 35  
 from which Oak 20 in. dia. beam N 44 E. 22 miles  
 dist; and to Buck 20 ~ ~ ~ S 87 E. 41 ~ ~
- ~ Sand & Soil; Timber Oak, Hick, ash,  
 and Poplar, &c.

- East On a line between Sec. 26. & 35. I. N. 6.
- 40.00 Set a temporary post for the cor. to 1/4 sec.
- 80.00 Intersected the N. & S. line 12 miles N. of the post.  
 Set for the cor. to 25, 26. 35. 36.  
 Sand & Soil under timber same as in the last mile.

- West On the true line between Sec. 26. & 35. I. N. 6. N.  
 R. N. 27.
- 40.00 Set the temporary post at the above dist. on the true line  
 for the cor. to 1/4 sec. from which  
 Buck 20 in. dia. beam S 37 N. 24 miles dist; to  
 Sugar 10 ~ ~ ~ N 57 E. 22 ~ ~
- 80.00 To the post set for the cor. to Sec. 26. 27. 34. & 35.  
 I. N. 6. N. R. N. 27. 2nd Mer. Sec. 6.

## T. N. 6. N. R. N. 2 W. 2nd Mer. (Ind.)

North Return Sep. 26. &amp; 27. T. N. 6. N. R. N. 2 W.

40.00 Set a post for the cor. to  $\frac{1}{4}$  sec. from which a  
Back 16 in. dir. bears N 27 W. 25 links dist. 10

Do 8 in. " " S 46 E 14 " "

80.00 Set a post for the cor. to Sep. 22, 23, 26, &amp; 27. T. N. 6. N. R. N. 2 W. from which a

Sugar 8 in. dir. bears N 89 W. 44 links dist. 10

Do 12 in. " " N 44 E 25 " "

Sand soil and timber same as on the last mile.

East On a Random line between Sep. 23. &amp; 26. T. N. 6. N. R.

40.00 Set a temporary post for the cor. to  $\frac{1}{4}$  sec.80.00 Set a post on the N & S line 20 links North of  
the first set for the cor. to Sep. 23, 24, 25, & 26.

Sand soil and timber same as on the last mile.

West On the true line between Sep. 23 &amp; 26. T. N. 6. N. R. N. 2 W.

40.00 Set the temporary post at the corner with on the true line  
for the cor. to  $\frac{1}{4}$  sec. from which a

Sugar 10 in. dir. bears N 75 W. 17 links dist. 10

Do 12 in. " " N 6 E 14 " "

80.00 To the last set for the cor. to Sep. 22, 23, 26, &amp; 27.

North Return Sep. 22, &amp; 23. T. N. 6. N. R. N. 2 W.

40.00 Set a post for the cor. to  $\frac{1}{4}$  sec. from which a

Cherry 8 in. dir. bears N 11 W. 25 links dist. 10

Do 8 in. " " S 6 E 9 " "

80.00 Set a post for the cor. to Sep. 14, 15, 22, & 23. From  
which a Sugar 8 in. dir. bears N 87 E. 20 links dist.  
and a Back 6 in. " " N 11 W. 8 in. " "  
Sand rolling; Timber same as on the last mile.

East On a Random line between Sep. 14. &amp; 23. T. N. 6. N. R. N. 2 W.

40.00 Set a temporary post for the cor. to  $\frac{1}{4}$  sec.

T. N. 6. N. H. N. 2 W. 2<sup>nd</sup> & 3<sup>rd</sup> Mer. (S. 1<sup>st</sup>.)

80.00 Enter between the N & S line 10 miles South of the  
first set for the cor. to Sec. 13, 14, 23 & 24.  
Sandy brushy; Timber Oak, cedar, Hickory

West On the true line between Sec. 14 & 23 T. N. 6. N.  
H. N. 2 W.

40.00 Set a temporary post for the cor. to  $\frac{1}{4}$  sec. at the aver-  
age on the true line. From which a  
Sugar 8 in. dia. beam N 70 E. 37 miles dist; 1 a  
Buck 20 n n n N 63 W. 20 n n

80.00 To the post set for the cor. 14, 15, 22, 23.

North Between Sec. 14 & 15 T. N. 6. N. H. N. 2 W.

40.00 Set a post for the cor. to  $\frac{1}{4}$  sec. from which a  
Buck 12 in. dia. beam N 10 E. 32 miles dist;  
Sugar 10 n n n S 65 W. 5 n n

80.00 Set a post for the cor. to Sec. 10, 11, 14 & 15. from  
which a 9. Oak 10 in. dia. beam West 46 miles dist;  
and a Buck 8 n n n N 78 E. 16 n n  
Sandy pine near the last mile.

East On a random line between Sec. 11 & 14 T. N. 6.  
N. H. N. 2 W.

40.00 Set a temporary post for the cor. to  $\frac{1}{4}$  sec.

80.18 Enter between the N & S line. 16 miles South of the  
first set for the cor. to Sec. 11, 12, 13 & 14.  
Sandy soil made timber same as in the last mile.

West On the true line between Sec. 11 & 14 T. N. 6. N.  
H. N. 2 W.

40.04 Set the temporary post at the aver. dist on the true line  
for the cor. to  $\frac{1}{4}$  sec. From which a  
Hickory 12 in. dia. beam S 52 W. 3 miles dist; 2 a  
Red Bud 8 n n n S 71 E. 49 n n

80.18 To the post set for the cor. to Sec. 10, 11, 14 & 15.  
T. N. 6. N. H. N. 2 W.



T. N<sup>o</sup> 6. N. R. N<sup>o</sup> 27. 2<sup>nd</sup> Mer. Ina.<sup>e</sup>Ch<sup>e</sup>. Upr.

North

Between Sep. 10. & 11. T. N<sup>o</sup> 6. N. R. N<sup>o</sup> 27.

32.00 Top Sugar 18 in. dia. bears in the line.

40.00 Set a post for the cor. to  $\frac{1}{4}$  sec. from which a  
Sugar 12 in. dia. bears N 17 E 36 links north to  
Beck 8 " " " S 30 W. 2 " "

72.00 Top W Oak 20 in. dia. stands in the line.

80.70 Set a post for the cor. to Sep. 2, 3, 10, 11. from  
White Dogmoot. 6 in. dia. bears N 20 E 12 links  
ridge Do 8 " " " S 88 E. 27 " "  
Sands come across the last mile.East On a Random line between Sep. 2. & 11. T. N<sup>o</sup> 6. N.  
R. N<sup>o</sup> 27.40.00 Set a temporary post for the cor. to  $\frac{1}{4}$  sec.80-10 Into section the N. 15 line 12 links South of the post  
set for the cor. to Sep. 1, 2, 11, 12.

Sands find and timber come across the last mile.

West On the true line, between Sep. 2. & 11. T. N<sup>o</sup> 6. N.  
R. N<sup>o</sup> 27.40.05 Set the temporary post for the cor. to  $\frac{1}{4}$  sec. at the aver-  
age on the true line from which aSugar 6 in. dia. bears S 57 E. 22 links north to  
Beck 12 " " " N 61 W. 28 " "

80.10 To the post set for the cor. to Sep. 2, 3, 10, &amp; 11.

North Between Sep. 2 & 3. T. N<sup>o</sup> 6. N. R. N<sup>o</sup> 27.40.00 Set a post for the cor. to  $\frac{1}{4}$  sec. from which  
Beck 8 in. dia. bears N 6 E. 10 links north to  
Sawwood 8 " " " N 4 E. 30 " "

70.00 Top W Oak 24 in. dia. stands in the line.

86.80 Enter section the N. Boundary of Town. N<sup>o</sup> 6 N. R.  
N<sup>o</sup> 27. 185 links East of the post set for the  
cor. to Sep. 34 & 35 T. N<sup>o</sup> 7. N. R. N<sup>o</sup> 27. & set  
a post for the cor. to Sep. 2 & 3 from which  
Beck 20 in. dia. bears S 49 W. 5 links north to

T. N. 6. N. R. N. 27. 2<sup>nd</sup> Mar (Ind.)

Sugar 10 in dia beam N 49 E. 23 links met  
Sands pit and timber same as on the last  
April 10. 1814.

North. Petition Sal. 33 & 34 T. N. 6. N. R. N. 27.  
40.00 Set a post for the cor. to  $\frac{1}{4}$  sec. from which  
Beck 10 in dia beam South 33 links met; under  
Do 12 in " " N 87 E. 11 " "  
57.00 Trap Beck 12 in dia. Stand on the line.  
80.00 Set a post for the cor. to Sal. 27, 28, 33 & 34 from  
which Beck 18 in dia beam N 82 E. 29 links  
met; to Do 12 in " " S 35 W. 10 "  
" Sands nothing timber; Beck Oak & Hick

East. On a Random line between Sal. 27 & 34 T. N. 6.  
N. R. N. 27.  
40.00 Set a temp. post for the cor. to  $\frac{1}{4}$  sec.  
79.98 In the date the N. & S. line. 8 links South of the  
post set for the cor. to Sal. 26, 27, 34 & 35.  
Sands pit and timber same as on the last mile.

West. On the true line between Sal. 27 & 34 T. N. 6. N.  
R. N. 27.  
39.99 Set the temp. post at the av. dist on the true line  
for the cor. to  $\frac{1}{4}$  sec. from which  
Sugar 10 in dia beam N 77 E. 23 links met; to  
Poplar 12 in " " South 17 " "  
49.98 To the post set for the cor. to Sal. 27, 28, 33 & 34

North. Petition Sal. 27 & 28. T. N. 6. N. R. N. 27.  
40.00 Set a post for the cor. to  $\frac{1}{4}$  sec. from which  
Beck 20 in dia beam N 17 W. 15 links met; to  
Sugar 20 " " " N 45 E. 13 " "  
79.00 Trap Brook 31 links miles; corner S.W.  
80.00 Set a post for the cor. to Sal. 21, 22, 27 & 28 from  
which Beck 18 in dia beam N 72 W. 30 links met;

T. N. 6. N. R. No. 27. 2nd Mer. (In a<sup>w</sup>)

under Ironwoods 6 in dia. bears N 80 E. 31 links dist.  
Sands soil and timber same as on the last mile.

East On a random line between Sep. 22, 27. T. N. 6.  
N. R. No. 27.

225 To a Brook 30 links dist.; Corner S. N.

40.00 Set a temporary post for the cor. to 1/4 sec.

80.00 Enter onto the N. & S. line 10 links South of the  
post set for the cor. to Sep. 22, 23, 26, 27.  
Sands soil and timber same as on the last mile.

West On the true line between Sep. 22, 27. T. N. 6. N. R.  
No. 27.

40.00 Set the temporary post at the corner dist. on the true line.  
for the cor. to 1/4 sec. from which

Beach 8 in dia. bears N 76 W. 20 links dist; 10

Walnuts 12 in - - - N 76 E. 7 - - -

80.00 Set the post set for the cor. to Sep. 22, 21, 27, & 28.

North Between Sep. 21 & 22. T. N. 6. N. R. No. 27.

40.00 Set a post for the cor. to 1/4 sec. from which

Beach 10 in. dia. bears N 37 W. 42 links dist; 10

Dogwoods 8 in - - - N 21 W. 19 in - - -

80.00 Set a post for the cor. to Sep. 21, 22, 15, 16, from  
which a Sugar 8 in. dia. bears N 80 E. 14 links dist.  
under W. Oak 12 in - - - N 74 W. 14 in - - -  
Sands rich; Timber Oak, Ash, and Poplar.

East On a random line between Sep. 15, 22. T. N. 6. N.  
R. No. 27.

40.00 Set a temporary post for the cor. to 1/4 sec.

1/4.00 To a Brook 10 links dist.; Corner South.

80.04 Enter onto the N. & S. line. 10 links South of the post  
set for the cor. to Sep. 14, 15, 22, & 23.

Sands soil and timber same as on the last mile.



I. N<sup>o</sup> 6. N.R. N. 2 W. 2<sup>nd</sup> Mer. Qua.<sup>c</sup>

West On the true line between Sec. 15. & 20 I. N<sup>o</sup> 6 N.  
R. N. 2 W.

40.00 Set a temp. post for the cor. to  $\frac{1}{4}$  sec. at the above  
met on the true line: from which

Beech 10 in. dia. bears N. 32 W. 12 inches dist; & a  
Poplar 8 in. — — S 82 W. 16 in. — —

80.04 To the post set for the cor. to Sec. 15. 16. 21. & 22

---

North Between Sec. 15. & 16 I. N<sup>o</sup> 6. N.R. N. 2 W.

40.00 Set a post for the cor. to  $\frac{1}{4}$  sec. from which a  
Poplar 8 in. dia. bears S 8 E. 16 inches dist; & a  
Log 6 in. — — N 11 W. 13 in. — —

Land same as on the last survey.

80.00 Set a post for the cor. to Sec. 9. 10. 15. & 16 from  
which a B. Oak 20 in. dia. bears N 81 W. 11 inches  
dist; & a Sugar 12 in. — — S 61 E. 34 in. — —  
Land same as on the last survey.

---

East On a Pandura line between Sec. 10. & 15. I. N<sup>o</sup> 6.  
N.R. N. 2 W.

40.00 Set a temp. post for the cor. to  $\frac{1}{4}$  sec.

80.12 Enter onto the N. & S. line at the post set for the  
cor. to Sec. 10. 11. 14. & 15. Land soil and timber  
same as on the last mile.

---

West On the true line between Sec. 10. & 15 I. N<sup>o</sup> 6. N.  
R. N. 2 W.

40.06 Set the temp. post at the above met on the true  
line for the cor. to  $\frac{1}{4}$  sec. from which

Beech 10 in. dia. bears N. 18 E. 18 inches dist; & a  
Sugar 12 in. — — S 68 E. 37 in. — —

80.12 To the post set for the cor. to Sec. 9. 10. 15. & 16.

---

North Between Sec. 9. & 10. I. N<sup>o</sup> 6. N.R. N. 2 W.

9.50 Trap Beech 20 in. dia. stands in the line.

40.00 Set a post for the cor. to  $\frac{1}{4}$  sec. from which a

I. N<sup>o</sup> 6. N.R. N<sup>o</sup> 27. 2<sup>nd</sup> Div. (Ind.)

Beck 6 mi. div. bears S 47 N. 13 miles dist; 10  
 10 8 n n n S 51 E. 8 n n  
 80.00 Set a post for the cor. to Sec. 3 4 9. 10. From which  
 a Sugar 12 mi. div. bears N. 56 E. 15 miles dist; 10  
 10 12 n n n N 57 W. 3 n n  
 Land soil made timber same as on the line.

East On a Random line between Sec. 3 & 10. I. N<sup>o</sup> 6 N.  
 R. N<sup>o</sup> 27.

40.00 Set a temporary post for the cor. to 1/4 Sec.

80.08 Intersected the N. & S. line at the post set for the  
 cor. to feet. 2. 3. 10. 11 I. N<sup>o</sup> 6 N.R. N<sup>o</sup> 27.

Land soil made timber same as on the last mile.

West On the true line between Sec. 3 & 10 I. N<sup>o</sup> 6 N.R.  
 N<sup>o</sup> 27.

44.54 Set the temporary post at the above dist on the true line  
 for the cor. to 1/4 Sec. From which

Wheat 6 mi. div. bears N. 57 N. 9 miles dist; 10

Engon 8 n n n N 46 E. 27 n n

80.08 To the post set for the cor. to Sec. 3. 4. 9. 10.

North Between Sec. 3 & 4 I. N<sup>o</sup> 6. N.R. N<sup>o</sup> 27.

44.00 Set a post for the cor. to 1/4 Sec. From which  
 Sugar 10 mi. div. bears S 57 N. 49 miles dist; 10

Beck 12 n n n North 40 n n n

75.00 To a Post to 25 miles dist; Commence West.

87.00 Intersected the N. & S. boundary of I. N<sup>o</sup> 6 N.R. N<sup>o</sup> 27.

247 miles East of the post set for the cor. to Sec.

33 & 34. I. N<sup>o</sup> 7 N.R. N<sup>o</sup> 27. made set a post  
 for the cor. to Sec. 3 & 4 From which

Sugar. 12 mi. div. bears S 28 N. 21 miles dist; 10

10. 10 n n n S 3 E. 25 n n

Land same as on the last mile. April 11<sup>th</sup> 1844.

North Between Sec. 32 & 33. I. N<sup>o</sup> 6. N.R. N<sup>o</sup> 27.



T. N. 6. N. R. N. 27. 2<sup>nd</sup> Mer. (Ind. a.)

N. N. 27.

- 35.00 To a Brook 25 miles wide; Course South.  
 40.00 Set a post temp. for the cor. to  $\frac{1}{4}$  sec.  
 80.10 Intersected the N. & S. line at the post set for the cor.  
 to sec. 21, 22, 27, & 28.  
 Sande pit and timber same as on the last mile.

- West On the true line between Sec. 21 & 28 T. N. 6. N.  
 R. N. 27.  
 40.05 Set the temp. post at the corner on the true line  
 for the cor. to  $\frac{1}{4}$  sec. from which  
 Birch 6 in dia. bears N 43° W. 18 miles dist; 10  
 Sugar 8 in " " S 89° W. 36 in " "  
 80.10 Is the post set for the cor. to Sec. 21, 21, 28, & 29.

- North Return Sec. 21 & 21. T. N. 6. N. R. N. 27.  
 40.00 Set a post for the cor. to  $\frac{1}{4}$  sec. from which  
 a Walnut 6 in dia. bears N 11° W. 13 miles dist; 10  
 Dogwoods 6 in " " S 27° W. 30 in " "  
 Sande pit and timber same as on the last mile.  
 80.00 Set a post for the cor. to sec. 16, 17, 20, & 21. from which  
 a Sugar 20 in dia. bears S 30° W. 73 miles dist; 10  
 Birch 10 in " " N 65° W. 19 in " "  
 Sande rich and healthy; Timber Oak, Poplar,  
 Birch.

- East On a Meridian line between Sec. 16 & 21. T. N. 6.  
 N. R. N. 27.  
 40.00 Set a temp. post for the cor. to  $\frac{1}{4}$  sec.  
 48.50 To a Brook 10 miles wide Course South.  
 80.18 Intersected the N. & S. line 12 miles South of the post  
 set for the cor. to sec. 15, 16, 21, & 22  
 Sande pit and timber same as on the last mile.

- West On the true line between Sec. 16 & 21. T. N. 6. N. R.  
 N. 27.



## T. N. 6. N. R. N. 27. 2nd Mer. Ind.

- 40.04 Set the temporary post at the avor. dist. on the true line  
for the cor. to  $\frac{1}{4}$  sec. from which  
Sagaw 10 in. dia. beam N 82 E. 43 links dist; 10  
Do 10 a n n S 59 E. 22 a n n  
80.08 To the post set for the cor. to Sec. 16. 17. 20. 21.
- 

## North Return Sec. 16. &amp; 17. T. N. 6. N. R. N. 27.

- 40.00 Set a temporary post for the cor. to  $\frac{1}{4}$  sec. from which  
a Beech 10 in. dia. beam N 17 W. 10 links dist; 10  
Do 10 a n n N 51 W. 20 a n n  
80.10 Set a post for the cor. to Sec. 8. 9. 16. & 17. from which  
a Dogwood 6 in. dia. beam N 75 W. 12 links dist; 10  
Syr. 16 a n n N 82 E. 21 a n n  
Sando Kelly, Heick, Synn & Clark, timber
- 

East On a Run down line between Sec. 9. & 16. T. N. 6  
N. R. N. 27.

- 40.00 Set a temporary post for the cor. to  $\frac{1}{4}$  sec.  
80.00 Set a section the N. & S. line 8 links South of the  
post set for the cor. to Sec. 9. 10. 15. 16.  
Sando timber first & same as in the last mile.
- 

West On the true line between Sec. 9. & 16. T. N. 6. N.  
R. N. 27.

- 40.00 Set the temporary post at the avor. dist. on the true  
line for the cor. to  $\frac{1}{4}$  sec. from which  
Syr 12 in. dia. beam S 58 E. 5 links dist; 10  
Beech 18 a n n N 67 W. 16 a n n  
80.00 To the post set for the cor. to Sec. 8. 9. 16. & 17.
- 

## North Return Sec. 8. &amp; 9. T. N. 6. N. R. N. 27.

- 40.00 Set a post for the cor. to  $\frac{1}{4}$  sec. from which  
Sagaw 12 in. dia. beam N 1 E. 59 links dist; 10  
Do 10 a n n N 44 E. 13 a n n  
62.00 To a Brook 25 links wide; course S. E.  
80.00 Set a post for the cor. to Sec. 4. 5. 8. 9. from which

T. N. 6. N. R. N. 27. 2<sup>nd</sup> Mer. S. 11<sup>th</sup>

Beck 10 in. dia. beam N 49 E 17 miles dist; 10  
 No 18 a a a S 83 W. 15 a a  
 Grade pit made timber same as on the last mile.

East On a Run from line between Sec. 4 & 9. T. N. 6 N.  
 R. N. 27.

22.00 To a Brook 20 miles into; Commence S. W.  
 40.00 Set a temporary post for the cor. to  $\frac{1}{4}$  sec.  
 79.98 Enter section the N. S. line at the post set for the cor.  
 to Sec. 3. 4. 9. 10 Grade pit made timber same  
 as on the last mile;

West On the true line between Sec. 4. & 9. T. N. 6 N.  
 R. N. 27.

39.99 Set the temporary post at the cor. dist on the true line  
 for the cor. to  $\frac{1}{4}$  sec. from which a  
 Beck 10 in. dia. beam S 84 E. 43 miles dist; 10  
 Auger 6 a a a S 59 W. 8 a a  
 79.98 To the post set for the cor. to Sec. 4. 5. 8. 9.

North Between Sec. 4 & 5. T. N. 6. N. R. N. 27.

40.00 Set a post for the cor. to  $\frac{1}{4}$  sec. from which a  
 Beck 10 in. dia. beam N 33 E. 16 miles dist; 10  
 Maple 12 a a a N 66 W. 21 a a  
 87.30 Enter section the N. Run of T. N. 6 N. R. N.  
 27. 318 miles East of the post set for the cor.  
 to Sec. 32. & 33. T. N. 7. N. R. N. 27. under a  
 post for the cor. to Sec. 4. & 5. from which a  
 Beck 20 in. dia. beam S 24 E. 8 miles dist; 10  
 Dogwood 6 a a a S 83 W. 30 a a  
 Grade same as on the last mile. April 12<sup>th</sup> 1844.

North Between Sec. 31. & 32. T. N. 6. N. R. N. 27.

40.00 On an Offset towards the East on account of a  
 Creek  
 80.00 Set a post for the cor. to Sec. 29. 30. 31. & 32. from

T. N. 6. N. R. N. 27. 2<sup>nd</sup> Mer. (Ind. <sup>c</sup>)

which o W. Oak 20 in. dia. bears N 86 W. 23 miles dist.  
 under Maple 12 a a o N 77 E. 38 a a  
 under Mulberry; under Oak under Hill N. S.

East On a Random line between Sec. 29. & 32. T. N. 6. N. R. N. 27.

40.00 Set a post (temp.) for the cor. to  $\frac{1}{4}$  Sec.

73.00 Top Brook 50 miles wide; hence South.

80.06 Enter into the N. & S. line at the first set for the cor.  
 to Sec. 28. 29. 32. 133. Same as on the last  
 mile T. N. 6. N. R. N. 27.

West On the true line between Sec. 29. & 32. T. N. 6. N. R. N. 27.

40.03 Set a post (temp.) at the aver. dist. on the true line  
 for the cor. to  $\frac{1}{4}$  Sec. from which

Sugar 10 in. dia. bears S. 85 E. 68 miles dist; 10  
 Hill N. S. 10 a a o S 87 W. 103 a a

80.06 To the post set for the cor. to Sec. 29. 30. 31. 132

North Between 29. & 30. T. N. 6. N. R. N. 27.

37.50 To a W. Oak 20 in. dia. bears on the line.

40.00 Set a post for the cor. to  $\frac{1}{4}$  Sec. from which  
 Sugar 10 in. dia. bears N 3 E. 37 miles dist; 10  
 Dogwood 8 a a o N. 13 W. 38 a a

80.00 Set a post for the cor. to Sec. 19. 20. 29. & 30. from  
 which Forest 8 in. dia. bears S 74 W. 18 miles dist; 10  
 Sugar 12 a a o N 55 W. 8 a a  
 Same as on the last mile

East On a Random line between Sec. 20. & 29. T. N. 6. N. R. N. 27.

40.00 Set a post for the cor. to  $\frac{1}{4}$  Sec.

80.12 Enter into the N. & S. line at the first set for the cor.  
 to Sec. 20. 21. 28. & 29. Same as on the last mile.

257

T. N. 6. N. R. N. 27. 2nd Mer. (Ind. 2)

- West On the true line between Sec. 20. & 29. T. N. 6. N. R. N. 27.
- 40.56 Got the temporary post at the corr. dist. on the true line  
for the cor. to 1/4 sec. from which  
Bench 12 in. dia. bears S 82 W. 27 links dist; 10  
by 12 a n n N 68 E. 20. n n
- 80.10 To the post set for the cor. to Sec. 19. 20. 29. & 30
- 

- North Between Sec. 19. & 20. T. N. 6. N. R. N. 27.
- 40.50 Got a post for the cor. to 1/4 sec. from which  
Bench 12 in. dia. bears East 1 link dist;
- 80.00 Got a post for the cor. to Sec. 17. 18. 19. 20. from  
which a bench 20 in. dia. bears S 3 E. 19 links dist  
and dog woods 4 n n N. 39 E 8 a n  
Some fence across the last mile.
- 

- East On a random line between Sec. 17. & 20. T. N. 6. N. R. N. 27.
- 40.50 Got a temporary post for the cor. to 1/4 sec.
- 80.00 Introduced the N. & S. at the post set for the cor. to Sec.  
16. 17. 20. 21. Some fence across the last mile.
- 

- West On the true line between Sec. 17. & 20. T. N. 6. N. R. N. 27.
- 40.53 Got the temporary post at the corr. post on the true line  
for the cor. to the 1/4 sec. from which  
Bench 10 in. dia. bears S 80 E. 11 links dist; 10  
by 10 a n n N 40 W. 9 a n
- 80.06 To the post set for the cor. to Sec. 17. 18. 19. 20.
- 

- North Between Sec. 17. & 18. T. N. 6. N. R. N. 27.
- 40.50 Got a post for the cor. to 1/4 sec. from which  
Bench 25 in. dia. bears S 43 W. 44 links dist; 10  
by 12 a n n N 27 W. 10 a n
- 70.00 To a Brook 25 links wide corner S. W.
- 80.00 Got a post for the cor. to Sec. 7. 8. 17. & 18. from which



T. No. 6. N.R. No. 27. 2<sup>nd</sup> Mar. (Ind.)

Beck 12 in. dia. beam N 8 E. 2 miles dist; 10  
 Sugar 4 " " " N 81 W. 15 " "  
 Sand pit and timber same as on the last mile.

East On a random line between Sep. 8. & 17. T. No. 6. N.R. No. 27.

4.50 To a Brook 25 miles wide; hence S.W.

40.00 Set a temp. post for the cor. to 1/4 sec.

80.00 Into a cut the North and South line 10 miles South of the post set for the cor. to 1/4 sec. 8. 9. 16. 17.  
 Sand pit and timber same as on the last mile.

West On the true line between Sep. 8. & 17. T. No. 6. N.R. No. 27.

40.00 Set the temp. post at the corner, dist on the true line for the cor. to 1/4 sec. from which

Logwood 8 in. dia. beam N 21 W. 15 miles dist; 10  
 Do. 16 " " " S 58 E 6 " "

80.00 To the post set for the cor. to Sep. 7. 8. 17. & 18.

North Between Sep. 7. & 8. T. No. 6. N.R. No. 27.

40.00 Set a post for the cor. to 1/4 sec. from which was

Ironwood 6 in. dia. beam N E. 91 miles dist; 10

Beck 12 " " " N 4 W. 79 " "

80.00 Set a post for the cor. to Sep. 5. 6. 7. 8. from which was

Beck 7 in. dia. beam S 80 E. 22 miles dist; 10

Logwood 6 in. " " S 38 W. 7 " "

Sand pit and timber same as on the last mile

East On a random line between Sep. 5. & 8. T. No. 6. N.R. No. 27.

37.00 To a Brook from a spring 5 miles wide; hence South.

40.00 Set a temp. post for the cor. to 1/4 sec.

80.00 Into a cut the N.S. line at the post set for the cor. to Sep. 4. 5. 8. 9. Sand same as on the last mile.

259

T. N<sup>o</sup> 6. N.R. N<sup>o</sup> 27. 2<sup>nd</sup> Mer. (Ind.<sup>a</sup>)

- West On the true line between Sec. 5. & 8. T. N<sup>o</sup> 6. N.R. N<sup>o</sup> 27. 2<sup>nd</sup> Mer.  
 40.04 Set the 1<sup>st</sup> post at the arm dist on the true line for the cor. to  $\frac{1}{4}$  sec. from which a  
 Buck 10 in dia. bears S 57 E. 12 miles dist; &  
 Sugar 12 " " " N 37 W. 6 " "  
 8008 Set the first set for the cor. to Sec. 5. 6. 7. & 8.

- North Between Sec. 5. & 6. T. N<sup>o</sup> 6. N.R. N<sup>o</sup> 27.  
 34.50 To a Buck 20 in dia. bore in the river.  
 40.00 Set a post for the cor. to  $\frac{1}{4}$  sec. from which a  
 W. Ash 6 in dia. bore S 4 E. 10 miles dist; &  
 Hickory 10 " " " N 76 W. 1 " "  
 87.98 Enter into the N. Boundary of Town N<sup>o</sup> 6. N.R. N<sup>o</sup> 27. 398 miles East of the first set for the cor. to Sec. 31. & 32. T. N<sup>o</sup> 7. N.R. N<sup>o</sup> 27. and set a post for the cor. to Sec. 5. & 6 from which a  
 Gum 20 in dia. bore N 85 E. 13 miles dist; and a  
 Hogwood 6 " " " N 66 E. 10 " "  
 Lands hilly and very brushy Timber Oak, Hickory and Poplar; April 13. 1844.

- West Between Sec. 6 & 7 T. N<sup>o</sup> 6. N.R. N<sup>o</sup> 27.  
 40.00 Set a post for the cor. to  $\frac{1}{4}$  sec. from which a  
 Sugar 8 in dia. bore S 88 E. 20 miles dist; &  
 Buck 20 " " " West 35 " "  
 69.76 Enter into the West Boundary of T. N<sup>o</sup> 6. N.R. N<sup>o</sup> 27. 468 miles South of the first set for the cor. to Sec. 1. & 2. T. N<sup>o</sup> 6. N.R. N<sup>o</sup> 37. and set a post for the cor. to Sec. 6. & 7. from which a  
 Hogwood 6 in dia. bore S 41 E. 17 miles dist; &  
 Buck 6 " " " South 2 " "  
 Lands level and timber same as on the last run.

- West Between Sec. 7. & 18. T. N<sup>o</sup> 6. N.R. N<sup>o</sup> 27.  
 40.00 Set a post for the cor. to  $\frac{1}{4}$  sec. from which a

T. N<sup>o</sup> 6. N. R. N<sup>o</sup> 2 W. 2<sup>nd</sup> Mer.

- Beck 8 in. dia. trees S 78 W. 14 links dist; and so  
 Do 10 in. " " S 75 E. 13 " " "  
 72.76 Entered the West Boundary of T. N<sup>o</sup> 6. N. R.  
 N<sup>o</sup> 2 W. 375 links South of the post set for the  
 cor. to Sec. 12. & 13. T. N<sup>o</sup> 6. N. R. N<sup>o</sup> 3 W. and set a  
 post for the cor. to Sec. 7. & 18. From which  
 Beck 10 in. dia. trees N 43 W. 18 links dist; & so  
 Maples 8 " " " S 43 E. 10 " " "  
 Lands heavily timbered Oak & Hickory

- West On the true line between Sec. 18. & 19. T. N<sup>o</sup> 6. N. R. N<sup>o</sup> 2 W.  
 29.50 To a Beck 20 in. dia. stands in the line  
 40.00 Set a post for the cor. to 1/4 Sec. From which  
 Beck 10 in. dia. trees S 78 E. 48 links dist; & so  
 Maples 20 in. " " " N 61 W. 28 in. " "  
 50.00 To a Brook 100 links wide; corner S. E.  
 74.80 Set a post in the West Boundary of T. N<sup>o</sup> 6. N. R.  
 N<sup>o</sup> 2 W. 350 links South of the post set for the  
 cor. to Sec. 13. & 24. T. N<sup>o</sup> 6. N. R. N<sup>o</sup> 2 W. From which  
 Beck 10 in. dia. trees South 14 links dist; & so  
 Hickory 12 in. " " " S 45 W. 12 in. " "  
 Lands soil and timber same as on the last mile.

- West Between Sec. 19. & 30. T. N<sup>o</sup> 6. N. R. N<sup>o</sup> 2 W.  
 40.00 Set a post for the cor. to 1/4 Sec. From which  
 Beck 6 in. dia. trees S 75 W. 6 links dist; & so  
 Do 12 in. " " " N 42 E. 12 in. " "  
 76.00 Entered the West Boundary of T. N<sup>o</sup> 6. N. R. N<sup>o</sup> 2 W.  
 200 links South of the post set for the cor. to Sec. 36.  
 & 25. T. N<sup>o</sup> 6. N. R. N<sup>o</sup> 3 W. and set a post for  
 the cor. to Sec. 19 & 30. From which  
 Beck 24 in. dia. trees N 6 E. 24 links dist; & so  
 Sugar 8 in. " " " S 10 E. 16 in. " "  
 Lands heavy; timber Oak (Hickory)

West Return Sec. 30. & 31 T. N<sup>o</sup> 6. N. R. N<sup>o</sup> 2 W.

T. N. 6. N. R. N. 2 W. 2<sup>nd</sup> Mer. (Ind.)

- 28.00 Long Buck 12 in. dia. Stands on the line.  
 40.00 Set a post for the cor. to  $\frac{1}{4}$  sec. from which a  
 Sague 12 in. dia. bears N 69 E. 35 miles dist  
 Buck 20 " " " N 26 E. 8 " "  
 76.00 Enter onto the West Boundary of T. N. 6.  
 N. R. N. 2 W. 50 miles South of the post set  
 for the cor. to sec. 25 & 36 T. N. 6. N. R. N. 3 W.  
 and set a post for the cor. to sec. 31 & 32. From which  
 Hick 10 in. dia. bears S 35 E 13 miles dist; 10  
 Buck 12 " " " S 88 E. 35 " "  
 Ground rolling; Timber same as on the last mile  
 April 14<sup>th</sup> 1814.

---

Surveyed by Arthur Hennie  
 Deputy Sur.

I certify that the foregoing transcript of the  
 field notes of Township N. 6 North Range  
 N. 2 West of the 2<sup>nd</sup> Mer. (Indiana,) has been  
 compared with the original notes in this Office  
 and found to be correct.

Surveyor General's Office  
 Cincinnati, Dec. 25<sup>th</sup> 1839

E. B. Rains  
 Sur. Genl.